Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



HARDY PERENNIALS

AND

ROCK PLANTS

WHOLESALE

HAMMONTON HARDY PLANT NURSERY

HAMMONTON NEW JERSEY

TERMS

Accounts are due in thirty days.

Orders from unknown correspondents, unaccompanied by cash or references will not be filled. If plants are required in a hurry, we suggest that cash and references be sent with first order. This will be promptly forwarded, and we will at once take up the question of shipping future orders on open account.

Prices in this catalogue include packing.

HARDY PERENNIALS

AND

ROCK PLANTS

	Per Doz.—	Per 100
ACHILLEA		
filipandulina. A strong growing species with large, flat heads of yellow flowers. 3 ft. June-July.		8.00
Ptarmica Boule de Neige. Sprays of small, double white flowers. 12 to 18 inches. June-Sep-		
tember. "The Pearl. A stronger growing variety than		8.00
the foregoing, bearing larger flowers. 2 ft. June-September.	1.25	8.00
rupestris. A compact, low growing alpine plant, forming cushions of attractive, green foliage, and bearing masses of snow-white flowers		
borne in dense umbels. 6 in. May-June. tomentosa. A dwarf rock plant, forming neat cushions of foliage which are hidden during May	2.00	12.00
and June by heads of bright yellow flowers.	1 50	10.00
AETHIONEMA (Lebanon Candytuft) iberideum. A very free flowering trailer for the rock garden. It has gray, glaucous leaves and the white flowers are produced in terminal clus-	2.00	10.00
ters. April-May.	2.00	12.00
AGROSTEMMA coronaria. Bright crimson flowers and gray woolly foliage making a pleasing contrast. 2 ft.		
June-July.	1.25	8.00
-" alba. A white variety of the preceding.	1.25	8.00
AJUGA		
genevensis. Short spikes of intense blue flowers. A	2.00	
good rock plant. 6 in. June.	2.00	12.00

	Per Doz.—I	Per 100
ALYSSUM		
argenteum. Large flat heads of golden yellow flowers borne on wiry stems. 1 ft. May-June.	1.50	10.00
montanum. A rare Alpine of compact though trailing habit; its dark green leaves are covered with white encrustations and each of its many stems terminates in a truss of bright yellow flowers in May and June.		12.00
saxatile compactum (Gold Dust) One of the most		
popular of spring flowering plants. Masses of yellow flowers in April and May.		8.00
ANCHUSA		
italica Dropmore Variety. Tall spikes of gentian- blue flowers, resembling giant forget-me-nots.		
4 ft. June-July. italica Opal. Similar to the last variety but having	1.50	10.00
pale blue flowers. myosotidiflora. A distinct species producing masses of	1.50	10.00
bright-blue, forget-me-not flowers in April and May. 1 ft.	2.50	15.00
ANDROSACE		
lanuginosa. A Himalayan plant very rare in America. It is of a trailing habit and its stems are covered with silky leaves. The flowers are rose pink with yellow eyes and are borne in clusters at the termination of the stems. May-		
September.	2.50	15.00
lanuginosa Leichtlini. A white flowered variety of the preceding.	2.50	15.00
ANEMONE		
Pulsatilla (Pasque Flower) Large cup shaped, bluish purple flowers, filled with golden anthers, borne		
singly on stems 1 ft. high. April-May.	1.50	10.00
" alba. A white variety of the above.	1.50	10.00
ANTHEMIS tinctoria Kelwayi. Our stock of this variety has been		
raised from one plant selected from a large number of seedlings and is a great improvement on the plant usually offered under this name. Its bright yellow flowers are very large and are produced very freely on strong, straight stems. An excellent plant for cutting. 2½ ft.		
June-September.	1.25	8.00

	Per Doz.	-Per 100
AQUILEGA (Columbine) An attractive and popular group of spring flowering plants which should be well represented in every collection of perennials. They are adapted for border or rock garden and their bright, various colored flowers are valuable for cutting.		
chrysantha. A tall and beautiful species bearing soft yellow flowers. 3 ft. May-June.	1.50	10.00
nivea grandiflora. Large pure white flowers. Strong grower. 2 ft. May-June.	1.25	8.00
Mrs. Scott Elliott's Strain. This is probably the best strain of long spurred hybrids. The flowers are of rich and varied colors. 2-3 ft. May-	*	
June.	1.50	10.00
Rose Queen. Soft rose colored flowers with white centers. 2-3 ft. May-June.	1.50	10.00
ARABIS		
alpina. (Rock Cress) A useful early spring flowering plant suitable for rock garden, border, or for spring bedding. 9 inches. April-May.	1.50	10.00
ARENARIA (Sandwort) laricifolia. White flowers freely borne on short, wiry stems. 6 inches. May-June.	2.00	12.00
montana. One of the best rock plants for trailing over a ledge. Cascades of glistening white flowers in May.	2.00	12.00
ARMERIA (Thrift, Sea Pink)		
maritima Laucheana. Compact tufts of grass-like foliage entirely covered in May and June with globular heads of pink flowers. 6 inches.	1.50	10.00
ARTEMSIA		
Abrotanum (Southernwood, Old Man) A favorite old- fashioned garden plant of bush-like habit, hav- ing fine foliage possessing a refreshing frag-		
rance. 2-3 ft.	1.50	10.00
lactiflora. Fragrant spirea-like plumes of creamy white flowers are borne on stout, erect stems from August to October. 5-6 ft.	1.25	8.00
ASCEPIAS		
tuberosa. Strong stems terminating in clusters of bright orange red flowers. 2½ ft. May-June.	1.50	10.00

ASTER. (Michaelmas Daisy, Starwort) As a plant of general usefulness the aster has few rivals. The great variety in color, size of flower, time of flowering and height, combined with simple cultural requirements, make it one of the most desirable of hardy plants. Many of the varieties and strongest spikes are obtained if the plants are divided annually. Blucbeard. Very large, heliotrope flowers on strong, erect stems. 4 ft. September-October. 1.50 10 Climax. Large pale mauve flowers with yellow centers are profusely borne on long straight stems. 1.50 10 Cocrulea. Large pale blue flowers in pyramidal heads. 4-5 ft. September-October. 1.50 10 Mauve Cushion. Distinct from all other asters, this variety forms a round, compact cushion that is entirely covered with delicate mauve flowers during October and November. 9 in. 1.25 8 Perry's White. A very free flowering variety of graceful habit. The flowers are large and of good substance. 4 ft. September-October. 1.50 10 Sam Banham. The best white Aster; very large flowers, good for cutting. 3 ft. September-October. 1.50 10 The Quc:n. Very large flowers borne on loose sprays on long straight stems. They open pale mauve and turn nearly white with age. 4 ft. September. 1.50 10 St. Egwyn. This variety forms a compact bush, and
general usefulness the aster has few rivals. The great variety in color, size of flower, time of flowering and height, combined with simple cultural requirements, make it one of the most desirable of hardy plants. Many of the varieties and strongest spikes are obtained if the plants are divided annually. Blucbeard. Very large, heliotrope flowers on strong, erect stems. 4 ft. September-October. 1.50 10 Climax. Large pale mauve flowers with yellow centers are profusely borne on long straight stems. 1.50 10 Coerulea. Large pale blue flowers in pyramidal heads. 4-5 ft. September-October. 1.50 10 Mauve Cushion. Distinct from all other asters, this variety forms a round, compact cushion that is entirely covered with delicate mauve flowers during October and November. 9 in. 1.25 8 Perry's White. A very free flowering variety of graceful habit. The flowers are large and of good substance. 4 ft. September-October. 1.50 10 Sam Banham. The best white Aster; very large flowers, good for cutting. 3 ft. September-October. 1.50 10 The Queen. Very large flowers borne on loose sprays on long straight stems. They open pale mauve and turn nearly white with age. 4 ft. September. 1.50 10 St. Egwyn. This variety forms a compact bush, and
erect stems. 4 ft. September-October. 1.50 10 Climax. Large pale mauve flowers with yellow centers are profusely borne on long straight stems. 1.50 10 Coerulea. Large pale blue flowers in pyramidal heads. 4-5 ft. September-October. 1.50 10 Mauve Cushion. Distinct from all other asters, this variety forms a round, compact cushion that is entirely covered with delicate mauve flowers during October and November. 9 in. 1.25 8 Perry's White. A very free flowering variety of graceful habit. The flowers are large and of good substance. 4 ft. September-October. 1.50 10 Sam Banham. The best white Aster; very large flowers, good for cutting. 3 ft. September-October. 1.50 10 The Queen. Very large flowers borne on loose sprays on long straight stems. They open pale mauve and turn nearly white with age. 4 ft. September. 1.50 10 St. Egwyn. This variety forms a compact bush, and
are profusely borne on long straight stems. Coerulea. Large pale blue flowers in pyramidal heads. 4-5 ft. September-October. Mauve Cushion. Distinct from all other asters, this variety forms a round, compact cushion that is entirely covered with delicate mauve flowers during October and November. 9 in. Perry's White. A very free flowering variety of graceful habit. The flowers are large and of good substance. 4 ft. September-October. Sam Banham. The best white Aster; very large flowers, good for cutting. 3 ft. September-October. The Queen. Very large flowers borne on loose sprays on long straight stems. They open pale mauve and turn nearly white with age. 4 ft. September. St. Egwyn. This variety forms a compact bush, and
4-5 ft. September-October. Mauve Cushion. Distinct from all other asters, this variety forms a round, compact cushion that is entirely covered with delicate mauve flowers during October and November. 9 in. Perry's White. A very free flowering variety of graceful habit. The flowers are large and of good substance. 4 ft. September-October. Sam Banham. The best white Aster; very large flowers, good for cutting. 3 ft. September-October. The Queen. Very large flowers borne on loose sprays on long straight stems. They open pale mauve and turn nearly white with age. 4 ft. September. St. Egwyn. This variety forms a compact bush, and
variety forms a round, compact cushion that is entirely covered with delicate mauve flowers during October and November. 9 in. 1.25 8 Perry's White. A very free flowering variety of graceful habit. The flowers are large and of good substance. 4 ft. September-October. 1.50 10 Sam Banham. The best white Aster; very large flowers, good for cutting. 3 ft. September-October. 1.50 10 The Queen. Very large flowers borne on loose sprays on long straight stems. They open pale mauve and turn nearly white with age. 4 ft. September. 1.50 10 St. Egwyn. This variety forms a compact bush, and
ful habit. The flowers are large and of good substance. 4 ft. September-October. 1.50 10 Sam Banham. The best white Aster; very large flowers, good for cutting. 3 ft. September-October. 1.50 10 The Queen. Very large flowers borne on loose sprays on long straight stems. They open pale mauve and turn nearly white with age. 4 ft. September. 1.50 10 St. Egwyn. This variety forms a compact bush, and
ers, good for cutting. 3 ft. September-October. 1.50 10 The Queen. Very large flowers borne on loose sprays on long straight stems. They open pale mauve and turn nearly white with age. 4 ft. September. 1.50 10 St. Egwyn. This variety forms a compact bush, and
on long straight stems. They open pale mauve and turn nearly white with age. 4 ft. September. 1.50 10 St. Egwyn. This variety forms a compact bush, and
during September the foliage is entirely hidden by large, clear pink flowers. One of the best asters in cultivation. 2½ ft. 1.25 8
tartaricus. A distinct species from Siberia. Large violet flowers are carried on tall, leafy stems. 6 ft. November. 1.50 10
White Climax. A pure white form of Climax. 1.50 10
N. A. Barr's Pink. A variety of recent introduction, bearing large, bright pink flowers. 4 ft. Sep- tember-October. 2.00 12.
" "Lil Fardel. Large, clear pink flowers. 4 ft. September-October. 1.50 10.

ACTED DWARE ALDINE	Per Doz	–Per 100
ASTER, DWARF ALPINE		
alpinus. Large, bluish purple flowers. 9 inches. May-June.	1.50	10.00
" albus. A white variety of the foregoing.	1.50	10.00
subcoeruleus. Large violet-purple flowers freely borne		
on slender, erect stems. 1 ft. June-July.	1.50	10.00
AUBRIETIA		
deltoidea. A dwarf, free flowering rock plant with		
pale lavender flowers. 4 inches. April-May.	2.00	12.00
BAPTISIA australis. (False Indigo) A first rate border plant bearing sprays of dark indigo blue flowers, re- sembling lupines. When well established, this is a valuable plant for cutting. 3 ft. June- July.	1.25	8.00
BOCCONIA		
cordata. (Plume Poppy) A tall growing stately plant with handsome, gray, glaucous foliage, bearing panicles of creamy white flowers. 6-8 ft. July-August.	1.25	8.00
BOLTONIA		
asteroides. A tall aster-like plant of vigorous habit,		
more suitable for naturalizing than for the		
border. White flowers. 6 ft. September.	1.25	8.00
	1.20	0.00
latisquama. Not so strong growing as the last. Pink	1.05	0.00
flowers. 5-6 ft. September.	1.25	8.00
latisquama nana. A somewhat uncommon plant de-		
serving wider recognition. It forms a compact		
bush, 3 ft. in height, and in September is		
smothered with dainty pink flowers.	1.50	10.00
CALAMINTHA		
alpina. A prostrate rock plant producing a mass of		
violet-blue flowers borne in clusters. 6 in.		
July-August.	1.50	10.00
CAMPANULA (Bell flower) One of the most beautiful		
and important families of hardy plants. Hav- ing a very wide geographical distribution, its members are extremely varied in character and are adapted for rock garden, border and wood-		3 to 3.
land.		· · · · · · · · · · · · · · · · · · ·

CAMPANIII A (C. d' I)	Per Doz.—	Per 100
CAMPANULA (Continued)		
carpatica. Branching stems bearing cup-shaped, blue		
flowers, 1½ inches or more in diameter. 1 ft.		
July-August.	1.25	8.00
carpatica alba. A white variety of the preceding.	1.25	8.00
glomerata. Clusters of tubular, violet-purple flowers,	1	
borne on strong upright stems. 1½ ft. July.	1.50	10.00
Medium (Canterbury Bell) Blue, pink, white; sep-		
arate.	1.25	8.00
" Calycanthema. (Cup and Saucer) Mixed		0.00
colors.	1.25	8.00
persicifolia. Slender, graceful stems studded with		0.00
blue, cap shaped flowers in June and July.		
2½ ft.		10.00
	1.50	10.00
arba. A white variety of the preceding.	1.50	10.00
rotundifolia. (Blue Bells of Scotland) Slender spikes		
of blue, bell shaped flowers growing from com-		
pact tufts of bright green foliage. 9 inches.		
June-July.	1.50	10.00
CARNATION, BORDER. (Dianthus carophyllus) We		
can supply these popular favorites in the fol-		
lowing colors, separate; red, rose, salmon, vio-		
let, yellow, white.	1.50	10.00
iet, yenow, white.	1.50	10.00
CARYOPTERIS		
mastacanthus. (Blue Spirea) A compact, free flow-		
ering plant of sub-shrubby habit with attrac-		
tive gray foliage; it is covered during fall with		
trusses of lavender-purple flowers.	2.00	12.00
CENTAUREA		
marocephala. A stately plant of robust habit, bear-		
ing large, globular heads of golden yellow		
flowers. 4-5 ft. July-August.	1.50	10.00
montana. Woolly foliage and bright blue flowers.		
1½ ft. June-July.	1.50	10.00
"alba. A white variety of the last.	1.50	10.00
OFD A CTILIN		
CERASTIUM		
tomentosum. Forms a carpet of silvery foliage which		
is covered in May with pure white flowers.	1.50	10.00
CHELONE		
Lyoni. A very free flowering plant bearing large,		
deep pink Pentstemon-like flowers on sturdy		
erect stems. 2 ft. July-September.	1.25	8.00
The state of the s	++40	0,00

	Per Doz.—	Per 100
CHRYSANTHEMUM	101 2021	101 100
Leucanthemum fl. pl. An uncommon plant bearing pure white, double flowers in June and July, valuable for cutting. 1½-2 ft.	1.25	8.00
maximum. (Shasta Daisy) A useful plant for cutting. The large, white daisy-like flowers are produced over a long period. 2 ft. June-September.	1.25	8.00
COREOPSIS		
grandiflora. One of the best hardy plants for cut- ting; bright yellow flowers are borne on long graceful stems throughout summer.	1.25	8.00
DELPHINIUM		
Belladonna. An invaluable plant for cutting; sky-like flowers in great profusion from June until frost. 2½-3 ft.	1.25	8.00
Bellamosum. Similar in habit and growth to the	1.20	0,00
above, but having dark blue flowers.	1.25	8.00
formosum. Dark blue flowers with white centers; vigorous habit. 3-4 ft.	1.50	10.00
grandiflorum. (chinense) Gentian-like flowers; finely divided foliage. 2 ft. June-September.	1.25	8.00
" album. A white variety of the last.	1.25	8.00
Lamartine. Rich blue flowers with white centers. 2 ½ ft.	2.00	15.00
Mixed Hybrids. Raised from seed saved from a first	00	10.00
class strain.	2.00	12.00
DIANTHUS		
alpinus. A lovely dwarf Alpine with deep pink flow- ers close down to the foliage which they en-		
tirely hide in May and June. 4 inches.	2.50	15.00
Allwoodi Jan. White flowers with crimson centers. 1 ft. June-October.	1.50	10.00
" Joyce. Rose pink with red centers. 1 ft. June-October.	1.50	10.00
arenarius. A desirable rock plant of compact, tufted habit. During May and June the foliage is entirely hidden by masses of deeply fringed, fragrant, white flowers borne on 6 inch stems.	1.50	10.00
rante, white nowers borne on a men stems,	1.00	10.00

	Per Doz	–Per 100
DIANTHUS (Continued)		
deltoides. (Maiden Pink) A trailing, pink flowered rock plant, also useful for border edging.		0.00
June-July.	1.25	8.00
album. A white variety of the foregoing.Brilliant. A vivid crimson variety, the flowers are shown to great advantage against the dark		8.00
green foliage.	1.25	8.00
neglectus. A choice and beautiful Alpine; pright carmine flowers with a buff reverse. 6 inches. May-June.		20.00
plumarius. A first rate mixture of fragrant, beautifully frilled flowers, varying in color from		2.00
white to crimson. 1 ft. May-June.	1.25	8.00
DIELYTRA		
formosa. Dainty fern-like foliage and pendulous, lyre shaped flowers of a pleasing shade of pink. 1 ft. May-August.		10.00
DIGITALIS (Foxglove) One of the showiest and most attractive of old fashioned favorites whose popularity is continually increasing.		
gloxinaeflora. Pink, purple, white; separate.	1.25	8.00
gloxinaeflora, The Shirley. A new strain raised by the Rev. W. Wilks, the originator of the well known Shirley Poppies. The flowers are of enormous size and vary in color from pure white to deep- est rose.		8.00
	1,20	0.00
ECHINACEA		
purpurea. A distinct plant of uncommon beauty. Large, pinkish-purple flowers having cone shaped, orange red centers are borne on strong, straight stems, 3 to 4 feet in height. July-August.	1.50	10.00
ECHINOPS (Globe Thistle) Vigorous and stately plants.		
attractive both in flower and foliage. The large, handsome leaves are spiny at the tips and are covered with silvery down.		
Ritro. Globular heads of glistening blue flewers. 4 ft. July-August.	1.50	10.00
sphaerocephalus. Heads of grayish white flowers. 4 ft. July-August.	1.50	10.00

	Per Doz.—	-Per 100
speciosus. A free flowering and vigorous plant bearing medium sized, purplish-lilac flowers. Good for cutting. 2 ft. July August.		10.00
ERINUS		2000
alpinus. A dwarf. dainty rock plant of tufted habit bearing pink flowers in May. 6 inches." albus. A white variety of the last.	$1.50 \\ 1.50$	$10.00 \\ 10.00$
ERYNGIUM (Sea Holly) planum. Small flower heads and steely blue stems. Good for cutting and drying. 2½ ft. July- August.		8.00
coelestinum. Very free flowering and one of the best hardy plants for cutting. Masses of blue, ageratum-like flowers from August to October.		
2 ft. Fraseri. Feathery white flowers. 2 ft. July-Sep.	1.25	8.00
tember.	1.25	8.00
corollata. The value of this plant for cutting is not fully appreciated. It is well adapted for shipping and its small pure white flowers take the place of Gypsophila paniculata when that is past. Best results are obtained by allowing it to 2 ft. August-September.		8.00
to remain undisturbed for several years. 1½ FUNKIA undulata variegata. Creamy white and green variegated leaves.	1.50	10.00
GAILLARDIA grandiflora. Ranging in color from old gold to crimson. For furnishing a continuous supply of cut flowers, this plant is unrivaled. 2 ft. June-		
September. The Dazzler. A recent introduction, producing large, bright golden yellow flowers with red maroon centers. Its strong, straight, erect stems make		8.00
it a valuable variety for cutting.	1.50	10.00
GERANIUM sanguineum. Forms a thick mass of prostrate stems		
and bears a profusion of saucer shaped, blood		40.55
red flowers. 1 ft. June-August.	1.50	10.00

	Per Doz	–Per 100
GEUM		
Lady Stratheden. A new variety similar in habit and growth to the well known Geum Mrs. Bradshaw. It bears large, old gold, double flowers. 2 ft. May-June.		10.00
Mrs. Bradshaw. One of the most striking of hardy plants. Slender, branching stems are produced from tufts of evergreen foliage and bear large, rich scarlet, double flowers in great profusion. 2 ft. May-June.		10.00
GYPSOPHILA	1.00	10.00
cerasticides. A choice rock plant forming a dense mat of foliage, thickly studded in spring with large, lilac flowers veined with pink. 3 inches.	1	15.00
Ehrlei. The most valuable hardy plant for cutting that has been introduced for many years. It is quite distinct from Gypsophila paniculata fl. pl. and flowers earlier than that variety. After the main crop of bloom is past, a continuous succession of flower spikes are produced until frost. Strong field-grown, grafted plants.	;	35.00
plants.	5.00	35.00
paniculata. Cloud-like masses of small white flowers. One of the most popular and useful plants for cutting. 2½ ft. July.		8.00
repens. A dwarf trailer, excellent for cascading down the slopes of the rock garden. Masses of small white flowers. June-July.		8.00
repens monstrosa. A stronger growing and more erect variety of the preceding. Very useful for cutting. 1 ft. May-June.		10.00
HELENIUM. Strong growing plants, valuable for producing late summer effects in woodland or herbaceous border. Also useful as a cut flower.		
		10.00
autumnale Riverton Gem. Rich mahogany-red flowers.		10.00
low flowers. 4 ft. August-September.	2.00	12.00
" superbum. Yellow. 4 ft. August-September.	1.50	10.00
Hoopesii. Large heads of deep yellow flowers. 2 ft. June-July.	1.50	10.00

	Per Doz.	-Per 100
HELIANTHEMUM. (Rock or Sun Rose) Dwarf evergreen shrubs of spreading habit, which for freedom of flowering and brilliance of coloring are equalled by few and excelled by no other family of plants. Delighting in full sun, they will thrive on a sunny bank where few other plants will exist. Massed on the rock garden or front of herbaceous border, they are the most gorgeous sight in the garden during June.		
Fireball. Brilliant scarlet. 9 inches.	2.00	12.00
macranthum. Large creamy white. 6 inches.	2.00	12.00
Mrs. Earle. Double scarlet flowers. 9 inches.	2.00	12.00
praecox. Large, soft yellow flowers. Silvery foliage. 9 inches.	2.00	12.00
rhodanthe carneum. Very large, clear pink flowers.	2.00	12.00
silvery foliage. 9 inches.	2.00	12.00
Rose Queen. Large, single pink flowers. 9 inches.	2.00	12.00
HELIANTHUS mollis. Handsome foliage thinly covered with silvery down and large lemon yellow flowers. 5 ft. August-September.	1.50	10.00
HELIOPSIS Pitcheriana. Golden yellow flowers, throughout the summer. 3 ft.	1.25	8.00
HEMEROCALLIS Dr. Regel. Fragrant, orange-yellow, lily like flowers. 1½ ft. May. Thunbergi. Clear yellow flowers. 3 ft. July.	1.50 1.50	10.00 10.00
inumbergi. Ofear yellow howers. 5 10. 5 aly.	1.00	10.00
HERNIARIA glabra. A prostrate green carpeter which remains green during winter. 1½ ft.	1.25	8.00
HESPERIS matronalis. Sweetly scented, purple flowers freely pro-		
duced during summer. 1½ ft.	1.25	8.00
" albus. A white variety of the last.	1.25	8.00
•	1.20	0.00
HIBISCUS (Mallow) Marvel Mallows. Pink, red, white separate.	1.50	10.00
HYPERICUM olympicum. A rare rock plant, gray-foliage and very		
large, yellow flowers. 6 in. June-July.	2.50	15.00

	Per Doz.—	-Per 100
IBERIS (Candytuft)		
sempervirens. An invaluable and popular spring flow- ering plant of dwarf and compact habit, bear- ing masses of snow white flowers produced in large trusses. 9 in. April-May.	1.25	8.00
INULA		
ensifolia. Forms a compact, symmetrical clump and in July is covered with bright yellow flowers. 1 ft.		10.00
IRIS		
cristata. A dwarf fairy-like plant with soft blue, orange striped flowers. Easily grown in a rather moist, partially shaded position. 4 in.		10.00
May.	1.50	10.00
Japanese. Mixed.	1.50	10.00
pumila cyanea. Violet-purple. 9 in. May.	1.25 1.25	8.00
"The Bride. Pure white. 6 in. May. sibirica. Graceful, slender, grass-like foliage and vio- let-blue flowers on long stems. An excellent	1.25	8.00
plant for moist situations. 3 ft. May-June. "Snow Queen. Large, snow-white, well formed flowers.	1.25 1.25	8.00
	1.25	8.00
LATHYRUS (Perennial Sweet Pea)		
latifolius albus. A vigorous climber. White flowers.	1.50	10.00
" roseus. A pink variety.	1.50	10.00
LAVANDULA (Sweet Lavender) vera. A popular old-fashioned plant with fragrant		
blue flowers and foliage. 1½-2 ft. June-July. vera Munstead Variety. A dwarf, compact form of the	1.25	8.00
foregoing. Good for edging or the rock gar- den. 9 inches. May-June.	2.50	15.00
LEONTOPODIUM		
alpinum (Edelweiss) White leaves and small yellow flowers surrounded by star-like heads of leaves clothed with a dense, white woolly substance.		
6 in. May-June.	1.50	10.00
LIATRIS		
pycnostachya. Long slender stems with rosy purple flowers. 4-5 ft. July-August.	1.25	8.00

	Per Doz.	-Per 100
LINUM (Flax)		
perenne. A continuous succession of clouds of sap-		
phire blue flowers throughout summer. 2 ft.		8.00
" alba. A white variety of the above.	1.25	8.00
LYCHNIS		
alpina. Compact cushions of rich green leaves stud- ded in April and May with heads of pink flowers.		10.00
chalcedonica. (Jerusalem Cross) Stout leafy stems bearing large, flat heads of bright scarlet flow- ers. 2-3 ft. July-August.		8.00
, g	1.25	
" alba. A white variety of the above.	1.25	8.00
LYSIMACHIA nummularia. A prostrate trailer, spangled during spring and early summer with large, clear yellow flowers.		8.00
LYTHRUM		
virgatum Rose Queen. A shapely bush formed of many slender stems which are thickly covered three quarters of their length with rosy pink flowers. 3-4 ft. July-September.	1.50	10.00
MAZUS		
rugosus. A prostrate grower forming a dense, green carpet, studded in spring with large violet flowers spotted with gold.	1.50	10.00
MERTENSIA		
virginica (Virginian Cowslip) One of the most beautiful of spring flowering plants. It forms large, glaucous gray leaves and bears drooping clusters of clear blue flowers. 1½ ft. May.	2.00	12.00
MONARDA		
didyma (Bergamot) Bright red heads of flowers on 3 ft. stems. The whole plant is fragrant. June-August.	1.25	8.00
MYOSOTIS		
palustris semperflorens. The well known and popular		
Forget-me-not.	1.25	8.00

	Per Doz.—	Per 100
NEPETA Mussini. (Catmint) A many stemmed, somewhat trailing plant with silvery leaves, which during June bears spikes of lavender blue flowers in great profusion. Most effective if grown in large masses. 1 ft.	1.50	10.00
OENOTHERA (Evening Primrose) missouriensis. A fine trailing plant with very large, pale yellow flowers, five or six inches in diameter. One of the best perennials for rock garden or border. June-September.	1.50	10.00
speciosa. Erect habit; snow-white flowers in great profusion throughout summer. 2 ft.	1.50 1.50	10.00
onosma stellulatum. A rare and beautiful plant for the rock garden. It forms an evergreen tuft of leaves and bears during May and June drooping am- ber-colored, drop shaped blossoms. It should be given a sunny, well drained position. 1 ft.	3.00	20.00
PARADANTHUS (Blackberry Lily) chinensis. Bright orange, lily-like, flowers with brownish purple spots, followed by conspicuous black seeds resembling blackberries. 3 ft. July-August.	1.25	8.00
PAPAVER alpinum. A dwarf, miniature poppy having finely divided, gray leaves and bearing, throughout the summer, white, yellow, orange and pink flowers.	2.00	12.00
nudicaule (Iceland Poppy) Dwarf free flowering plants, bearing solitary blossoms on stems about 1 ft. in height. Good for cutting. May-August.	1.50	10.00
orientale. Large scarlet flowers. 3 ft. May-June.	1.50	10.00
orientale Olympicum. The only double form of the Oriental Poppy. Rich scarlet flowers. 2½ ft.	2.00	12.00
PENTSTEMON barbatus Torreyi. Graceful tapering stems covered with large, tubular, scarlet flowers. 4 ft.		
June-August.	1.50	10.00
Digitalis. White tubular flowers with purple throat. Good for cutting. 2-3 ft. June-July.	1.50	10.00

	Per Doz.–	Por 100
PHLOX. One of the most important families of hardy	rer Doz.—	-res 100
perennials and one that should be well repre-		
sented in every collection. Phloxes are best		
suited by a deep, well manured soil and abun-		
dance of water.		
Albion. White with faint red eye. 2½ ft.	1.25	8.00
Antonin Mercier. Soft lilac blue with white center.		
2 ft.	1.25	8.00
Bacchante. Fiery pink with crimson eye. 2½ ft.	1.25	8.00
B. Comte. Brilliant French purple. 1½ ft.	1.25	8.00
Baron van Dedem. Glowing crimson. 2 ft.	1.25	8.00
Enchantress. Salmon pink. 2 ft.	1.50	10.00
Europa. White with carmine eye. 2½ ft.	1.25	8.00
La Vogue. Pinkish mauve. 2½ ft.	1.25	8.00
Mia Ruys. The best white Phlox.	1.50	10.00
Mrs. Jenkins. Pure white; large trusses. 2½ ft.	1.25	8.00
Rijnstroom. Rose-pink, very large individual flowers.		
2 ½ ft.	1.50	10.00
Rosenberg. Carmine violet with redish eye. 2 ft.	1.25	8.00
R. P. Struthers. Rosy red with crimson eye. 2 ft.	1.25	8.00
suffruticosa Miss Lingard. A good variety for cutting;		
pyramidal trusses of white flowers with faint		
lilac eye. 2½ ft. June-September.	1.25	8.00
Thor. Very large trusses of dazzling pink flowers.		
½ ft.	1.25	8.00
W. C. Egan. Large pink flowers. 2½ ft.	1.25	8.00
Widar. Reddish-violet flowers with white centers.		
2½ ft.	1.25	8.00
PHLOX, Dwarf varieties		
amoena. Compact glossy green foliage and masses		
of vivid pink flowers in April and May. 9 in.	1.50	10.00
divaricata. Trusses of large, fragrant, lavender-blue		
flowers. 9 in. May.	1.50	10.00
subulata alba. (Moss Pink) Moss-like foliage covered		
in April and May with sheets of white flowers.	105	
6 in.	1.25	8.00
" atrolilacina. Masses of deep lilac flowers en- tirely cover the plants during April and May.		
The flowers of this plant are the nearest ap-		
proach to blue of any variety of this type of		
Phlox.	2.00	12.00

PHLOX (Continued)	Per Doz.	–Per 100
subulata G. F. Wilson. One of the best and most flor- iferous of spring flowering plants. Mats of		
glossy foliage completely hidden by sheets of starry, lavender flowers in April and May. 6 in.	2.00	12.00
" lilacina. A lilac variety.	1.25	8.00
" rosea A pink variety.	1.25	8.00
PHYSALIS (Winter Cherry)		
Franchetti. Bright orange bladder-like calyces en- closing a cherry-like fruit. Valuable for drying for winter decoration. 2 ft. October.		8.00
PHYSOSTEGIA		
virginiana. Long slender spikes closely covered with pinkish mauve, tubular flowers. 3 ft. July-		
m August.	1.25	8.00
" alba. A white variety of the foregoing.	1.25	8.00
"grandiflora. A plant of recent introduction and a most valuable acquisition. It produces numerous stout, square stems 1 ft. to 1½ ft. high,, each covered with large, brilliant pink flowers, somewhat resembling a snapdragon in shape. The value of this plant is enhanced by its being an addition to the very new dwarf late flower-		
ing plants. August-September.	1.25	8.00
PINK, Hardy. A highly popular group of old fashioned garden plants, esteemed for their extreme floriferous and delicious fragrance. 12 to 15		
inches. May-June.	1.25	8.00
Excelsior. Delicate rose pink.	1.25	8.00
Her Majesty. Pure white; large flowers.	1.25	8.00
Homer. Deep rose with darker center.	1.25	8.00
Juliette. White, laced crimson.	1.25	8.00
Lord Lyons. Deep rose.	1.25	8.00
White Reserve. Pure white; perpetual flowering.	1.25	8.00
PLATYCODON (Balloon Flower)		
grandiflorum. Blue bell-shaped flowers borne on slen- der stems. 2 ft. June-October.	1.25	9.00
der stems. 2 ft. June-October. " album. A white variety of the above.	1.25 1.25	8.00
album. A white variety of the above.	1.25	8.00

	Per Doz.—	-Per 100
PLUMBAGO	101 502.	-1 (1 100
Larpentae. (Leadwort) Forms compact tufts of in- numerable wiry stems, each one terminating in a dense truss of cobalt blue flowers. 1 ft. August-October.		10.00
PYRETHRUM		
roseum. Daisy-like flowers varying in color from white to crimson. Useful for cutting. 2 ft. June		8.00
RANUNCULUS		
acris fl. pl. This plant is too often confused with the following variety which is generally sold for it. Of late years it has become very scarce and we are pleased to be able to offer the true plant. The glistening yellow flowers are small and very double and are borne on strong, erect stems, from 2½ to 3 ft. in height, the whole inflorescence forming a loose pyramid. It is one of the real old-fashioned plants and is equally valuable for border decoration or for cutting. May-June.		8.00
repens fl. pl. Small, double, yellow flowers on branching stems. Valuable for cutting. 1-1½ ft. April-May.		8.00
RUDBECKIA Golden Glow. Double, deep yellow flowers. 6 ft. July-September.	1.25	8.00
glabra. Emerald green cushions of moss-like growth covered in spring with myriads of small white flowers. 2 inches.	1.50	10.00
SALVIA		
azurea grandiflora. Tall straight stems covered for half their length with sky-like flowers. 4-5 ft. August-September.	1.25	8.00
pratensis. Branching stems of rich, violet-blue flowers. 2 ft. June-July.	1.25	8.00
SANTOLINA (Cotton Lavender)		
incana. An aromatic, compact growing, half shrubby plant with silvery foliage	1.25	8.00

SAPONARIA	Per Doz.—	-Per 100
ocymoides. A good plant for carpeting in the herbac- eous border or for trailing down the slopes in the rock garden. Spangled with bright pink flowers in spring.		10.00
SCABIOSA		
caucasica. One of the finest of hardy plants, bearing a succession of large, soft lilac flowers on long stems throughout summer. 2½ ft.		12.00
" alba. A white variety of the above.	2.00	12.00
SEDUM		
acre. A dwarf grower which quickly forms a thick carpet of vivid green, moss-like foliage and is hidden by yellow flowers in May.		10.00
album. Small succulent leaves which turn reddish bronze in fall. Trusses of white flowers in June and July. 6 in. An excellent edging plant.		10.00
•		10.00
dasyphyllum. A minute species producing masses of short, delicate stems thickly covered with globular, blue gray leaves.		12.00
hispanicum. A minute plant forming spreading tufts of gray foliage becoming bronze in fall. 3 in.		10.00
kamtschaticum. Leafy prostrate stems which in July and August bear clusters of star-shaped, orange colored flowers.	1.50	10.00
lydium. Carpets of bright green foliage which turns		10.00
reddish bronze during summer. 4 in.	1.50	10.00
obtusatum. A rare and attractive stone-crop. Small, round, fleshy leaves, dull green in spring but which turn red in summer. Yellow flowers. 4		
in. June.	2.00	12.00
reflexum. Clusters of golden flowers. 9 in. June. July.	1.50	10.00
sarmentosum. Fleshy leaved, trailer with yellow flowers.	1.50	10.00
sexangulare. Dwarf trailer; green foliage and yellow flowers. 6 in. June-July.	1.50	10.00
stoloniferum. Large clusters of pink flowers on prostrate, trailing stems. 6 in. June-July.	1.50	10.00

And the second s	D D	D 10"
SEDUM (Continued)	Per Doz.—	-Per 100
spectabile. Erect sturdy habit with broad glaucous leaves. The flowers are borne in large flat heads and are rosy purple in color; they retain their beauty for two months. 1½ ft. August-		
September. "Brilliant. A deeper colored variety than the	1.25	8.00
preceding, being a vivid amaranth red.	1.50	10.00
SEMPERVIVUM (Houseleek)		
acuminatum. Rosettes of green, fleshy leaves tipped with bronze.	2.00	12.00
arachnoideum (Cobweb Houseleek) Rosettes of succulent, pale green leaves covered with silky hairs resembling a cobweb.		15.00
SILENE		
alpestris. A dainty little rock plant of compact tufted habit, bearing masses of small white flowers. 4 inches. May-June.	2.00	12.00
SPIRAEA		
Filipendula. (Dropwort) Loose clusters of creamy white flowers tipped with red, borne on slender stems rising from tufts of fern-like foliage. 2 1/2 ft. June.	1.25	8.00
Ulmaria. (Meadow Sweet) Loose heads of creamy white flowers on long straight stems. 2½ ft. June-July.	1.25	8.00
" fl. pl. A double flowered form of the foregoing and a much superior plant. Excellent for		,
cutting.	1.25	8.00
STOKESIA		
cyanea. A showy plant with a lengthy flowering period; large blue flowers on somewhat straggling	1 50	10.00
stems. 1½ ft. August-October.	$\frac{1.50}{1.50}$	10.00 10.00
·	1.00	10.00
STATICE		
latifolia. (Sea Lavender) Branching flower stems bearing countless, small, blue-purple flowers which retain their color long after being cut and dried. Very good for cutting. 1½-2 ft.		
August-September.	1.50	10.00

	Per Doz.—	-Per 100
SWEET WILLIAM		
Holborn Glory. A choice mixture of all colors.	1.25	8.00
Newport Pink.	1.25	8.00
Scarlet Beauty.	1.25	8.00
White.	1.25	8.00
THALICTRUM adiantifolium. Clumps of maiden-hair foliage and long spikes of loosely arranged, small yellow-ish-white flowers, good for cutting. They can be used in place of Gypsophila paniculata before that is available. 2½ ft. June-July.		8.00
THYMUS		
citriodorus argenteus. Forms a compact bush about 9 inches in height. The small leaves are silver		
variegated and lemon scented.	2.00	12.00
the above but having golden variegated leaves.	2.00	12.00
lanuginosus. Carpets of woolly leaves covered in June and July with pink flowers.	1.50	10.00
Serpyllum albus. A fragrant,, creeping rock plant, quickly growing into a dense carpet which becomes covered with white flowers in June and	1.50	10.00
July.	1.50	10.00
" coccineus. A scarlet flowered variety.	1.50	10.00
TRITOMA (Torch Lily)		
Pfitzeri. A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange-scarlet, tubu-		
lar flowers. 2-3 ft. September-October.	2.50	15.00
Mixed Hybrids. A choice mixture, varying from yel low to scarlet.	1.50	10.00
TUNICA		
Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September.	1.50	10.00
VALERIANA		
officinalis. A strong growing and free flowering plant bearing large heads of faint pink flowers. 3-4 ft. June-July.	1.25	8.00

	Per Doz.	—Per 100
VERONICA		
incana. Compact masses of silvery foliage and deep blue flowers. 1 ft. May-June.	p 1.50	10.00
repens. Carpets of evergreen foliage entirely covered in spring with very pale blue flowers.	d 1.50	10.00
rupestris. A prostrate trailer forming a thick green carpet which is almost hidden in May and Jun by myriads of clusters of deep blue flowers	e	8.00
spicata. Spikes of blue flowers. 2 ft. June-August "rosea. An uncommon pink variety of the fore		10.00
going.	1.50	10.00
subsessilis. Stout erect stems of intense blue flowers 2-3 ft. July-August.	2.00	12.00
VIOLA		
Jersey Gem. One of the best hardy plants of recen introduction. It blooms freely and continuously from spring until frost, and the flowers, roya purple in color, are not affected by the sun Its foliage is a rich, healthy green, and it habit of growth is neat and compact.	y .l	10.00
pedata. (Bird's Foot Violet) Tufts of finely divided	d	
leaves and lilac blue flowers. 6 in. April-May		10.00
YUCCA		
filamentosa. (Adam's Needle) Large rosettes o		
sword-like leaves, and spikes of white flowers		
6-8 ft. July. Two year plants.	1.50	10.00
HERBS		
Lavender	2.00	12.00
Mint	1.25	8.00
Rue	1.25	8.00
Sage	1.25	8.00
Savory	1.25	8.00
Thyme	1.25	8.00

Being frequently asked for selection of plants suitable for planting on rock gardens, we append the following list as being adapted for that purpose:

Achillea rupestris
Achillea tomentosa
Aethionema iberideum
Ajuga genevensis
Alyssum argentum
Alyssum montanum
Alyssum saxatile compactum

Anchusa myosotidiflora

Androsace lanuginosa

Androsace lanuginosa Leichtlini

Anemone Pulsatilla Anemone Pulsatilla alba

Arabis alpina Arenaria laricifolia Arenaria montana

Armeria maritima Laucheana

Aster alpinus

Aster alpinus albus
Aster subcoeruleus
Aubrietia deltoidea
Calamintha alpina
Campanula carpatica
Campanula carpatica alba
Campanula glomerata
Campanula rotundifolia
Cerastium tomentosum
Dianthus alpinus
Dianthus arenarius
Dianthus deltoides

Dianthus deltoides
Dianthus deltoides albus
Dianthus deltoides Brilliant

Dianthus neglectus Erinus alpinus Erinus alpinus albus Geranium sanguineum

Gypsophila cerastioides Gypsophila repens

Gypsophila repens monstrosa Helianthemum Fireball

Helianthemum macranthum Helianthemum Mrs. Earle

Helianthemum praecox

Helianthemum rhodanthe carneum

Herniaria glabra Hypericum olympicum Iberis sempervirens Inula ensifolia Iris cristata

Iris pumila cyanea Iris pumila The Bride

Lavandula vera Munstead Variety

Leontopodium alpinum

Lychnis alpina

Lysimachia nummularia

Mazus rugosus Nepeta Mussini Oenothera missouriensis Onosma stellulatum Papaver alpinum Papaver nudicaule Phlox amoena Phlox divaricata

Phlox subulata alba Phlox subulata atrolilacina Phlox subulata G. F. Wilson

Phlox subulata dilacina Phlox subulata rosea Plumbago Larpentae Sagina glabra

Santolina incana Saponaria ocymoides Sedum acre

Sedum album Sedum dasyphyllum Sedum hispanicum Sedum kamtschaticu

Sedum kamtschaticum Sedum lydium Sedum reflexum Sedum sarmentosum

Sedum sarmentosum Sedum sexangulare Sedum stoloniferum Sempervivum acuminatum

Sempervivum arachnoideum Silene alpestris

Thymus citriodorus argenteus Thymus citriodorus aureus

Thymus lanuginosus
Thymus Serpyllus albus
Thymus Serpyllum coccineus

Tunica Saxifraga Veronica incana Veronica repens

Veronica rupestris Viola pedata All plants in the following list are suitable for cutting. A careful selection will provide a suppply of flowers from Spring until Fall.

Achillea Ptarmica The Pearl Achillea Ptarmica Boule de Niege Anthemia tinctoria Kelwayi Armeria Cephalotes Baptisia australis Campanula persicifolia Campanula persicifolia alba Chrysanthemum maximum Coreopsis grandiflora Delphinium Belladonna Delphinium Bellamosum Eupatorium coelestinum Euphorbia corallata Gaillardia grandiflora Gypsophila paniculata Heliopsis Pitcheriana Inula glandulosa

Liatris pycnostachya Pentstemon barbatus Torreyi Phlox Miss Lingard Pink Excelsion Pink Her Majesty Pink Homer Pink Juliette Pink Lord Lyon Pink White Reserve Pyrethrum roseum Ranunculus acris fl. pl. Scabiosa caucasica Scabiosa caucasica alba Statice latifolia Thalictrum adiantifolium Tritoma Pfitzeri Spiraea Ulmaria fl. pl.

Prices and descriptions of the plants in the preceding lists will be found in the body of the catalogue.



Hammonton Printing Company





Boonsenic and Systematic System

Economic Collection

Roc'd SEP 19 19:30